HAMILTON STANDARD Division of UNITED TECHNOLOGIES

SVHSER 7213

NASA CR-
160269

N79-79177

(NASA-CR-160269) ORBITAL FLASH EVAPORATOR SUBSYSTEM TEST. VOLUME 2: APPENDIX A (PARTIAL) Final Report (Hamilton Standard, Windsor Locks, Conn.) 744 p

Unclas
00/18 32536

FINAL REPORT

ORBITER FLASH EVAPORATOR SUBSYSTEM TEST

BY M. A. MELGARES

PREPARED UNDER CONTRACT NO. NAS 9-15017

BY

HAMILTON STANDARD
DIVISION OF UNITED TECHNOLOGIES CORPORATION
WINDSOR LOCKS, CONNECTICUT

FOR

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
LYNDON B. JOHNSON SPACE CENTER
HOUSTON, TEXAS

VOLUME II

APPENDIX A (PARTIAL)

JUNE 1979

AUG 1979
RECEIVED
NASA STI FACILITY
ACCESS DEPT.

HAMILTON STANDARD Division of UNITED TECHNOLOGIES

SVHSER 7213

FINAL REPORT

ORBITER FLASH EVAPORATOR SUBSYSTEM TEST

BY M. A. MELGARES

PREPARED UNDER CONTRACT NO. NAS 9-15017

BY

HAMILTON STANDARD
DIVISION OF UNITED TECHNOLOGIES CORPORATION
WINDSOR LOCKS, CONNECTICUT

FOR

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
LYNDON B. JOHNSON SPACE CENTER
HOUSTON, TEXAS

VOLUME II

APPENDIX A (PARTIAL)

JUNE 1979

PM1

741 OPERATION TOPPING EVAPORATOR 39°F OUTLET TEMPERATURE

NO.	SEQ.	ORI	WATER °F	WATER PSIA	FREON 21 °F	FREON 21 LBS/HR	FREON 21 LOOPS	CTRL	FREQ. HZ.	WATER FLOW LB/HR	CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LB/HR H/L	CARRYOVER LB/HR TOPP	HEAT REJ. BTU/HR. H/L	HEAT REJ. BTU/HR. TOPP	HEAT REJ. BTU/HR. BOTH	COMMENTS
1,2,3	13	V	65	35	45	2735	P/S	-1	.4	7.26	0	.2	0	.01	0	7400	7400	
	119	H	65	35	45	2735	P/S	-2	.46	7.64	0	1.4	0	.1	0	7708	7708	
4	14	V	65	30	45	2735	P/S	-1	.44	7.36	0	-.2	0	-.01	0	7579	7579	
5,6,7	16	V	65	20	45	2735	P/S	-1	.52	7.19	0	-1.	0	-.07	0	7430	7430	
8,9,10	17	V	110	30	45	2735	P/S	-1	.45	7.35	0	-2.4	0	-.18	0	7446	7446	
11	18	V	65	20	55	2735	P/S	-1	1.52	20.53	0	-1.2	0	-.26	0	21525	21525	
12	19B	V	65	35	55	2735	P/S	-1	1.12	19.98	0	-1.9	0	-.39	0	21203	21203	
	330	H	65	35	62	2735	P/S	-1	1.77	30.94	0	3.2	0	1.01	-408	30947	30539	
13,14	10	V	65	35	62	2735	P/S	-1	1.69	29.58	0	-2.5	0	-.75	0	31659	31659	
	120	H	65	35	62	2735	P/S	-2	1.66	29.41	0	.3	0	.11	0	30504	30504	
15	11	V	65	30	62	2735	P/S	-1	1.83	29.53	0	-1.8	0	-.55	0	31299	31299	
16,17	12	V	65	20	62	2735	P/S	-1	2.19	?	0	?	0	-.51	0	?	?	Data Folder Not Found (Obtained From Plots)
18,19	20B	V	110	30	62	2735	P/S	-1	1.93	31.15	0	-2.1	0	-.66	0	31780	31780	
20,21	21	V	65	30	65	2250	P/S	-1	1.69	27.55	0	-.26	0	-.71	0	29485	29485	
22	23	V	65	30	62	2500	P/S	-1	1.64	26.88	0	.7	0	.19	0	27670	27670	
23,24	24	V	65	30	60 (69)	2735	P/S	-1										See Plots
	131	H	65	30	60 (69)	2735	P/S	-2										
26,27	27	V	65	30	70 75	2735	P	-1										Single Loop Max Performance
28	28	V	65	30	74 94	2735	S	-1										Single Loop Max Performance
S6B	272A	H	100	30	54	2735	P/S	-2	1.19	19.40	0	-.8	0	-.15	-200	19652	19451	1. TORR Chamber Pressure
02A	39	V	65	30	54	2735	P/S	-1	1.15	18.89	0	1.8	0	.34	104	19171	19277	
02B	40	V	65	35	54	2736	P/S	-1	1.07	18.80	0	1.7	0	.33	143	19056	19200	
02C	57	V	85	35	54	2735	P/S	-1	1.16	19.76	0	1.2	0	.24	-182	19808	19626	
Dev 46.3 .4	58	V	98	35	54	2735	P/S	-1	1.17	20.01	0	1.4	0	.29	-162	19742	19579	
.5	59	V	110	35	54	2735	P/S	-1	1.16	19.6	0	1.5	0	.3	-126	19125	18999	
Dev 101-6	255	H	100	30	56	2735	P/S	-1	1.35	22.37	0	.4	0	.09	-177	22334	22155	
101-7	256	H	100	30	52	2735	P.S	-1	1.02	16.90	0	.2	0	.03	-142	16857	16772	
101-5	254	H	100	30	54	2735	P/S	-2	1.20	19.97	0	.1	0	.02	-191	20012	19820	
29	258	H	65	30	54	2735	P/S	-2	1.16	19.15	0	.7	0	.14	-153	19692	19542	
	308	H	65	30	54	2735	P/S	-2	1.07	18.71	0	.3	0	.06	-108	19317	19207	

PM-2 741 OPERATION DUAL EVAPORATOR 39°F OUTLET TEMPERATURE

NO.	SEQ.	ORI	WATER °F	WATER PSIA	FREON 21 °F	FREON 21 LBS/HR	FREON 21 LOOPS	CTRL	FREQ. HZ.	WATER FLOW LB/HR	CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LB/HR H/L	CARRYOVER LB/HR TOPP	HEAT REJ. BTU/HR. H/L	HEAT REJ. BTU/HR. TOPP	HEAT REJ. BTU/HR. BOTH	COMMENTS
1	HIGH PRESSURE DELETED																	
2	136		65	35	90	2900	P/S	-2	1.92	51.42	-.8	+1.5	-.44	.28	53867	19051	72933	Freq. Data Questionable - See Plots
3									2.1	18.73								
									1.37									
	143	H	65	35	90	2900	P/S	-2	1.06	51.37	-.8	+.6	-.43	.12	53846	19783	73657	
										19.22								
4	142	H	65	30	90	2900	P/S	-2	1.21	53.09	1.	2.5	.56	.5	54405	19767	74162	
										19.65								
5	144	H	65	20	90	2900	P/S	-2	1.5	52.02	-.3	.7	-.2	.13	54248	18971	73244	
										18.44								
6	159	H	110	30	90	2900	P/S	-2	1.29	53.89	1.1	3.1	.64	.61	52617	18730	71353	*Failed at 110°F
										19.65								
	161	H	100	30	90	2900	P/S	-2	1.23	52.72	-.7	-.6	-.4	-.12	53456	19503	72958	Rerun at 100°F
										19.28								
7	145	H	65	30	110	2900	P/S	-2	1.7	71.88	-.7	-.3	-.57	-.09	75493	27164	102663	
										25.99								
8	146	H	65	20	110	2900	P/S	-2	2.09	72.64	-.8	-1.3	-.63	-.33	76375	26683	103099	
										25.25								
9	HIGH PRESS DELETED																	
10																		
11	148	H	65	35	128	2900	P/S	-2	1.95	90.96	-1.2	-1.0	-1.77	-.33	96312	35054	131379	
										33.25								
12	149	H	65	30	128	2900	P/S	-2	2.15	91.24	-1.5	-1.3	-1.41	-.44	96757	34735	131503	
										32.83								
13	147	H	65	20	128	2900	P/S	-2	2.67	92.23	-.9	-2.3	-.89	-.74	97237	34002	131218	
										31.73								
14	162	H	100	30	128	2900	P/S	-2	2.20	93.09	-1.7	-2.5	-1.63	-.86	95713	34641	130341	
										33.38								
15	152	H	65	30	142	2500	P/S	-2	2.18	92.16	-1.4	-1.7	-1.35	-.59	97545	35222	132782	
										33.16								
16	151	H	65	30	133	2750	P/S	-2	2.21	93.37	-1.	4.1	-.94	1.37	98527	33305	131816	
										33.51								
	257	H	65	30	133	2750	P/S	-1	2.01	98.5	3.6	9.2	3.62	3.28	98590	32898	131494	
										35.44								
	260	H	65	30	133	2750	P/S	-1	1.94	91.7	-3	3	-2.81	1.	98604	33150	131714	Data is Very Questionable Due To Tank Shift, See Plots
										33.02								
17	150	H	65	30	128	2900	P/S	-2										
18	DELETED																	

PM-2 Continued

741 OPERATION HIGH LOAD EVAPORATOR 39°F OUTLET TEMPERATURE

NO.	SEQ.	ORI	WATER °F	WATER PSIA	FREON 21 °F	FREON 21 LBS/HR	FREON 21 LOOPS	CTRL	FREQ. HZ.	WATER FLOW LB/HR	CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LB/HR H/L	CARRYOVER LB/HR TOPP	HEAT REJ. BTU/HR. H/L	HEAT REJ. BTU/HR. TOPP	HEAT REJ. BTU/HR. BOTH	COMMENTS
19	153	H	65	30	90	2900	P	-2	0.61	26.46 10.15	.4	-.3	.12	-.03	27123	10508	37655	
20	154	H	65	30	128	2900	P	-2	1.06	46.85 17.41	.1	-.7	.08	-.13	48365	18190	66564	
21	155	H	65	20	150 128	2900	P	-2										Stopped at 150°F, ATCS Limitation See Plots
22	156	H	65	30	90	2900	S	-2	.66	26.57 9.98	5.8	-6.8	1.54	-.68	25496	11135	36642	
23	157	H	65	30	128	2900	S	-2	1.04	46.44 17.12	-.7	1.8	-.34	.31	48518	17342	65870	
24	158	H	65	20	150 128	2900	S	-2										Stopped at 150°F, ATCS Limitation See Plots
25	163	H	100	20	128	2900	P/S	-2	1.86 2.66	81.69 28.48	-1.3	-1.	-1.08	-.29	83452	28977	112424	Inlet Wrong at End of Test Point See Plots
	175	H	100	20	128	2900	P/S	-2	2.61 2.72	95.21 32.54	-1.	-2.6	-1.01	-.85	97219	33874	131070	.16 Hr. Run - Flex computer Problem

PM-3 742 ABORT CONTPOLLER OPERATION

NO.	SEQ.	ORI	WATER °F	WATER PSIA	FREON 21 °F	FREON 21 LBS/HR	FREON 21 LOOPS	CTRL	FREQ. HZ.	WATER FLOW LB/HR	CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LB/HR H/L	CARRYOVER LB/HR TOPP	HEAT REJ. BTU/HR. H/L	HEAT REJ. BTU/HR. TOPP	HEAT REJ. BTU/HR. BOTH	COMMENTS
									HIGH LOAD EVAPORATOR									
1	122	H	65	30	90	2900	P/S	742(S)	.92 .88		-1.0	-	-.42	-	40987	192	41190	
2	121	H	65	20	90	2900	P/S	742(S)	.99 1.09	39.60	-.3	-	-.13	-	41095	184	41279	
3	HIGH PRESS DELETED																	
4	123	H	65	30	108	2900	P/S	742(P)	1.39 1.45	63.88	-1.3	-	-.85	-	67439	141	67583	
5	124	H	65	20	140 108	2900	P/S	742(P)										See Plots
6	126	H	65	30	110	2750	P/S	742(P)	1.38 1.43	63.73	-1.6	-	-1.02	-	67468	90	67540	
7	125	H	110	20	108	2900	P/S	742(P)	1.82 1.95	66.96	-1.6	-	-1.08	-	67941	119	68067	
8	HIGH PRESS DELETED																	
									TOPPING EVAPORATOR									
9																		
10	29	V	65	35	90	2900	P/S	742	1.05	38.57	-	-.9	-	-.37	-	40587	40587	
11	30	V	65	20	90	2900	P/S	742	1.41	38.81	-	-.9	-	-.37	-	40875	40875	
12	31	V	65	90	108	2900	P/S	742										Test point was prematurely terminated; see plots.
13	32	V	65	35	108	2900	P/S	742	1.74	64.42	-	-1.1	-	-.73	-	68205	68205	
14	33	V	65	20	108	2900	P/S	742	2.33	65.03	-	-1.0	-	-.70	-	68808	68808	
15	34	V	65	20	110	2750	P/S	742	2.39	64.04	-	-0.0	-	-.03	753	67202	67957	
16	36	V	110	35	108	2900	P/S	742	1.85	65.68	-	-1.2	-	-.8	-	66903	66903	
17	37	V	65	90	117 100	2900	P/S	742										
18	38	V	65	20	119 100	2900	P/S	742										
	127	H	65	20	110	2900	P/S	742										See Plots
	128	H	65	20	115 110	2900	P/S	742										

APPENDIX A

REDUCED TEST DATA

This appendix contains the reduced test data obtained during and after the flash evaporator test.

The FLEX computer system provided the digital parameter vs time tapes which were further reduced into parameter vs time plots at the NASA JSC computer facilities.

The FLEX computer system also produced real time scoops (hard copy printouts). These scoops were processed with the Wang minicomputer to analyze the steady state results.

The format for this appendix follows the discussion section of this report with subdivision within each section to simplify finding the desired data. Only a small fraction of the data is presented, the plots selected were those considered pertinent to the performance of the evaporator and/or required to explain anomalies.

Summary tables are presented for the majority of the performance map data points. Plots are also included with the mission simulation plots, to simplify the understanding of the computer plots.

TOPPING EVAPORATOR

CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LB/HR H/L	CARRYOVER LB/HR TOPP	HEAT REJ. BTU/HR. H/L	HEAT REJ. BTU/HR. TOPP	HEAT REJ. BTU/HR. BOTH	COMMENTS
0	.2	0	.01	0	7400	7400	
0	1.4	0	.1	0	7708	7708	
0	-.2	0	-.01	0	7579	7579	
0	-1.	0	-.07	0	7430	7430	
0	-2.4	0	-.18	0	7446	7446	
0	-1.2	0	-.26	0	21525	21525	
0	-1.9	0	-.39	0	21203	21203	
0	3.2	0	1.01	-408	30947	30539	High Carryover Note 741-1
0	-2.5	0	-.75	0	31659	31659	
0	.3	0	.11	0	30504	30504	
0	-1.8	0	-.55	0	31299	31299	
0	?	0	-.51	0	?	?	Data Folder Not Found (Obtained From Plots)
0	-2.1	0	-.66	0	31780	31780	
0	-.26	0	-.71	0	29485	29485	
0	.7	0	.19	0	27670	27670	
							See Plots
							Single Loop May Performance
							Single Loop May Performance
							1. TORR Chamber Pressure
0	-.8	0	-.15	-200	19652	19451	
0	1.8	0	.34	104	19171	19277	
0	1.7	0	.33	143	19056	19200	
0	1.2	0	.24	-182	19808	19626	Carryover Call. Based on Boiler P
0	1.4	0	.29	-162	19742	19579	Carryover Call. Based on Boiler P
0	1.5	0	.3	-126	19125	18999	Carryover Call. Based on Boiler P
0	.4	0	.09	-177	22334	22155	
0	.2	0	.03	-142	16857	16772	
0	.1	0	.02	-191	20012	19820	
0	.7	0	.14	-153	19692	19542	
0	.3	0	.06	-108	19317	19207	

1030

FLASH EVAPORATOR TEST . 1978
PM 1 - 16. 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



PAGE 7.

23-16=40M 07/22/78 UNIVAC 1108 SC-4020

E1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



23-16=45M 07/22/78 UNIVAC 1108 SC-4020

PAGE 8.

FLASH EVAPORATOR TEST . 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 9.

23-16=50M 07/22/78 UNIVAC 1108 SC-4020

FE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-16=51M 07/22/78 UNIVAC 1108 SC-4020

DAYS:HOURS:MIN:SEC

PAGE 10.


FLASH EVAPORATOR TEST , 1978
PH 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2
40
35
30
25
20
15
10
5
142:17:10:02
142:17:15:02
142:17:20:02
142:17:25:02
142:17:30:02
142:17:35:02
142:17:40:02
:02
DAYS:HOURS:MIN:SEC
PAGE 11.
23-17=06M 07/22/78 UNIVAC 1108 SC-4020

FE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-25-48M 07/22/78 UNIVAC 1108 SC-4020

PAGE 12.

PE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

23-25=57M 07/22/78 UNIVAC 1108 SC-4020

PAGE 13.


FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FN0003 F21 PRI MID FLUID
2 = FN0005 F21 PRI IN FLUID
3 = FN0007 F21 PRI OUT FLUID
65.0
62.5
60.0
57.5
55.0
52.5
50.0
47.5
45.0
42.5
40.0
142:17:40:02
142:17:45:02
142:17:50:02
142:17:55:02
142:18:00:02
142:18:05:02
142:18:10:02
DAYS:HOURS:MIN:SEC
PAGE 14.
23-26:00M 07/22/78 UNIVAC 1108 SC-4020

FE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 15.

23-26=09M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 16.

23-26=12M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-26=22M 07/22/78 UNIVAC 1108 SC-4020

PAGE 17.

11030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-26=26M 07/22/78 UNIVAC 1108 SC-4020

PAGE 18.

FE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-32=31M 07/22/78 UNIVAC 1108 SC-4020

PAGE 19.

1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 20.

23-32=37M 07/22/78 UNIVAC 1108 SC-4020

FE1030

FLASH EVAPORATOR TEST . 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=08M 07/22/78 UNIVAC 1108 SC-4020

PAGE 21.

#E1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=12M 07/22/78 UNIVAC 1108 SC-4020

PAGE 22.

030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=30M 07/22/78 UNIVAC 1108 SC-4020

PAGE 23.

1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=35M 07/22/78 UNIVAC 1108 SC-4020

PAGE 24.

1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=43M 07/22/78 UNIVAC 1108 SC-4020

PAGE 25.

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=47M 07/22/78 UNIVAC 1108 SC-4020

PAGE 26.

FE1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=52M 07/22/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1030

FLASH EVAPORATOR TEST , 1978
PH 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=57M 07/22/78 UNIVAC 1108 SC-4020

PAGE 29.

1030

FLASH EVAPORATOR TEST , 1978
PM 1 - 16, 17 (12)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



23-33=59M 07/22/78 UNIVAC 1108 SC-4020

PAGE 30.


FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2
74
73
72
71
70
69
68
67
66
65
143:13:30:00
143:13:35:00
143:13:40:00
143:13:45:00
143:13:50:00
143:13:55:00
143:14:00:00
DAYS:HOURS:MIN:SEC
PAGE 10.
13-37=23" 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PR 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



13-38=13 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



PAGE 12.

13-38=39F 07/19/78 UNIVAC 1108 SC-4020

1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-38=48" 07/19/78 UNIVAC 1108 SC-4020

PAGE 13.

031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



0

13-38=57P 07/19/78 UNIVAC 1108 SC-4020

PAGE 14.

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-39=06P 07/19/78 UNIVAC 1108 SC-4020


FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM
1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2
32.5
32.0
31.5
31.0
30.5
30.0
29.5
29.0
28.5
143:13:30:00
143:13:35:00
143:13:40:00
143:13:45:00
143:13:50:00
143:13:55:00
143:14:00:00
DAYS:HOURS:MIN:SEC
PAGE 16.
13-39=51P 07/19/78 UNIVAC 1108 SC-4020

1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



13-40=39 07/19/78 UNIVAC 1108 SC-4020

PAGE 17.

FLASH EVAPORATOR TEST , 1978
PF 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



13-41-27P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-42=06P 07/19/78 UNIVAC 1108 SC-4020

PAGE 19.

FLASH EVAPORATOR TEST , 1978
PR 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-42=57 07/19/78 UNIVAC 1108 SC-4020

PAGE 20.

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PROCUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-43=27M 07/19/78 UNIVAC 1108 SC-4020

PAGE 21.

E1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-43=48 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



PAGE 23.

13-44=22F 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-44=34M 07/19/78 UNIVAC 1108 SC-4020

PAGE 24.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-45=19 07/19/78 UNIVAC 1108 SC-4020

PAGE 25.

FE1031

FLASH EVAPORATOR TEST , 1978
PR 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-45=56F 07/19/78 UNIVAC 1108 SC-4020

PAGE 26.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-46=16P 07/19/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-48=08* 07/19/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-48=20P 07/19/78 UNIVAC 1108 SC-4020

PAGE 29.

1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-49-18P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-50-56 07/19/78 UNIVAC 1108 SC-4020

PAGE 31.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAPLEX PROGRAM



13-51=19* 07/19/78 UNIVAC 1108 SC-4020

PAGE 32.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-51=23 07/19/78 UNIVAC 1108 SC-4020

PAGE 33.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-51=34P 07/19/78 UNIVAC 1108 SC-4020

PAGE 34.

041831

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PROCUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-52=01P 07/19/78 UNIVAC 1108 SC-4020

PAGE 35.

FE1031

FLASH EVAPORATOR TEST , 1978
PF 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-52=13 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-52=45P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-52=50 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PF 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-42-53 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PR 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



PAGE 41.

13-53=10F 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



13-53=14P 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-53=18 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 44.

13-53=21F 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-23,24 (24)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-53=24P 07/19/78 UNIVAC 1108 SC-4020

PAGE 45.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-55=06M 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1-23 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP SEC 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP SEC 2
4 = FW0016 IN TEMP SEC 2



16-55=22M 07/21/78 UNIVAC 1108 SC-4020

PAGE 96.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



16-55-45M 07/21/78 UNIVAC 1108 SC-4020

PAGE 97.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



16-55=53M 07/21/78 UNIVAC 1108 SC-4020

PAGE 98.

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-56=02M 07/21/78 UNIVAC 1108 SC-4020

PAGE 99.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-56=09M 07/21/78 UNIVAC 1108 SC-4020

PAGE 100.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23.24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-56=18M 07/21/78 UNIVAC 1108 SC-4020

PAGE 102.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



16-56=34M 07/21/78 UNIVAC 1108 SC-4020

PAGE 103.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-56=52M 07/21/78 UNIVAC 1108 SC-4020

PAGE 104.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



16-57=07M 07/21/78 UNIVAC 1108 SC-4020

PAGE 105.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF CONTROL PROGRAM
1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



16-57=13M 07/21/78 UNIVAC 1108 SC-4025

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-57-24M 07/21/78 UNIVAC 1108 SC-4020

PAGE 107.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-57=37M 07/21/78 UNIVAC 1108 SC-4020

PAGE 108.

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-57-51M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-57=57M 07/21/78 UNIVAC 1108 SC-4020

PAGE 110.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-58=09M 07/21/78 UNIVAC 1108 SC-4020

PAGE 111.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-58-22M 07/21/78 UNIVAC 1108 SC-4020

PAGE 112.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-58=37M 07/21/78 UNIVAC 1108 SC-4020

PAGE 113.

AE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

16-58=42M 07/21/78 UNIVAC 1108 SC-4020

PAGE 114.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-58=57M 07/21/78 UNIVAC 1108 SC-4020

PAGE 115.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-59=10M 07/21/78 UNIVAC 1108 SC-4020

PAGE 116.

ME1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-59=22M 07/21/78 UNIVAC 1108 SC-4020

PAGE 117.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-59-26M 07/21/78 UNIVAC 1108 SC-4020

PAGE 118.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-59-39M 07/21/78 UNIVAC 1108 SC-4020

PAGE 119.

F-1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-59-54M 07/21/78 UNIVAC 1108 SC-4020

PAGE 120.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GXFLEX PROGRAM



17-00=06M 07/21/78 UNIVAC 1108 SC-4020

PAGE 121.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=09M 07/21/78 UNIVAC 1108 SC-4020

PAGE 122.

≪1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



17-00=17M 07/21/78 UNIVAC 1108 SC-4020

PAGE 123.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=25M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=33M 07/21/78 UNIVAC 1108 SC-4020

PAGE 125.

1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=36M 07/21/78 UNIVAC 1108 SC-4020

PAGE 126.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNELEX PROGRAM



17-00=43M 07/21/78 UNIVAC 1108 SC-4020

PAGE 127.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=51M 07/21/78 UNIVAC 1108 SC-1020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-00=58M 07/21/78 UNIVAC 1108 SC-4020

PAGE 129.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=01M 07/21/78 UNIVAC 1108 SC-4020

PAGE 130.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=07M 07/21/78 UNIVAC 1108 SC-4020

PAGE 131.

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=12M 07/21/78 UNIVAC 1108 SC-4020

PAGE 132.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



BTU/HR

17-01=16M 07/21/78 UNIVAC 1108 SC-4020

PAGE 133.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 134.

17-01=18M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 135.

17-01=22M 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM -



17-01:39M 07/21/78 UNIVAC 1108 SC-4020

PAGE 136.

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=45M 07/21/78 UNIVAC 1108 SC-4020

PAGE 137.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=48M 07/21/78 UNIVAC 1108 SC-4020

PAGE 138.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=54M 07/21/78 UNIVAC 1108 SC-4020

PAGE 139.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-01=59M 07/21/78 UNIVAC 1108 SC-4020

PAGE 140.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-02=04M 07/21/78 UNIVAC 1108 SC-4020

PAGE 141.

FE1034

FLASH EVAPORATOR TEST . 1978
PM 1-23,24 (131)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 142.

17-02=06M 07/21/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



PAGE 69.

14-03=21P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



PAGE 70.

14-03=45P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



PAGE 71.

14-03=54M 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-03=59 07/19/78 UNIVAC 1108 SC-4020

PAGE 72.

E1031

FLASH EVAPORATOR TEST , 1978
PF 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-04=04P 07/19/78 UNIVAC 1108 SC-4020

E1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-04=06P 07/19/78 UNIVAC 1108 SC-4020

PAGE 74.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-04=20P 07/19/78 UNIVAC 1108 SC-4020

PAGE 75.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PROCUCED DURING CHECKOUT OF GAFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2



PSIA

DAYS:HOURS:MIN:SEC

21/9/78 UNIVAC 1108 SC-4020

PAGE 76.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



14-04=45M 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



19-04=54P 07/19/78 IVAC 1108 SC-4020

PAGE 78.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-05=02P 07/19/78 UNIVAC 1108 SC-4020

PAGE 79.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-05=06PM 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PR 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-05=17M 07/19/78 UNIVAC 1108 SC-4020

PAGE 81.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-05=28P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PROCUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-05=35M 07/19/78 UNIVAC 1108 SC-4020

PAGE 83.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-05=45P 07/19/78 UNIVAC 1108 SC-4020

PAGE 84.

#E1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-07=16P 07/19/78 UNIVAC 1108 SC-4020

PAGE 85.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-07=20P 07/19/78 UNIVAC 1108 SC-4020

PAGE 86.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



DEG F

14-07=30P 07/19/78 UNIVAC 1108 SC-4020

PAGE 87.

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-07=42PM 07/19/78 UNIVAC 1108 SC-4020

PAGE 88.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



D
E
G

F

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



PAGE 90.

14-07=54M 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-08=00 07/19/78 UNIVAC 1108 SC-4020

SE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-08=04PM 07/19/78 UNIVAC 1108 SC-4020

PAGE 92.

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



19-08:09P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PROCUCED DURING CHECKOUT OF GAFLEX PROGRAM



19-09=10P 07/19/78 UNIVAC 1108 SC-4020

PAGE 94.

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-09=13m 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-09=19 07/15/78 UNIVAC 1108 SC-4020

E1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



BTU/HR

PAGE 97.

14-09=25P 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 98.

14-09=30P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PR 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEx PROGRAM



14-13=19 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PR 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-13=24P 07/19/78 UNIVAC 1108 SC-4020

PAGE 100.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



BTU/HR

14-13=25M 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PR 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-13=34M 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-13=9CM 07/19/78 UNIVAC 1108 SC-4020

PAGE 103.

E1031

FLASH EVAPORATOR TEST , 1978
PM 1-26,27 (27)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-13=45P 07/19/78 UNIVAC 1108 SC-4020

PAGE 104.

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



14-24=06P 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



19-25-40P 07/19/78 UNIVAC 1108 SC-4020

PAGE 133.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



14-26=20* 07/19/78 UNIVAC 1108 SC-4020

PAGE 134.

PE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PROCUCED DURING CHECKOUT OF GAFLEX PROGRAP



M
Z

14-26=41P 07/19/78 UNIVAC 1108 SC-4020

PAGE 135.

E1031

FLASH EVAPORATOR TEST , 1978
PF 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-27=00F 07/19/78 UNIVAC 1108 SC-4020

PAGE 136.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



H
Z

14-27=13" 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PF 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



H
Z

DAYS:HOURS:MIN:SEC

14-27=33 07/19/78 UNIVAC 1108 SC-4020

PAGE 138.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



14-28=35PM 07/19/78 UNIVAC 1108 SC-4020

PAGE 139.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



14-29=46 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-30=16M 07/19/78 UNIVAC 1108 SC-4020

PAGE 141.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



14-30=55P 07/19/78 UNIVAC 1108 SC-4020

PAGE 142.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



DEG F

14-31=26M 07/19/78 UNIVAC 1108 SC-4020

PAGE 143.

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-31=39m 07/19/78 UNIVAC 1108 SC-4020

PAGE 144.

1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-33=00P 07/19/78 UNIVAC 1108 SC-4020

PAGE 145.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-33=18M 07/19/78 UNIVAC 1108 SC-4020

PAGE 146.

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-33=29 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-34-30 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



DEG F

14-35=09M 07/19/78 UNIVAC 1108 SC-4020

PAGE 149.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-35=48P 07/19/78 UNIVAC 1108 SC-4020

PAGE 150.

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-36=20P 07/19/78 UNIVAC 1108 SC-4020

PAGE 151.

SE1038

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-37=18M 07/19/78 UNIVAC 1108 SC-4020

DAYS:HOURS:MIN:SEC

PAGE 152.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PROCUCED DURING CHECKOUT OF GAFLEX PROGRAM



D
E
G
F

14-38=02P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-38=21P 07/19/78 UNIVAC 1108 SC-4020

PAGE 154.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-39=05P 07/19/78 UNIVAC 1108 SC-4020

PAGE 155.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-40=27P 07/19/78 UNIVAC 1108 SC-4020

a1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-40=43m 07/19/78 UNIVAC 1108 SC-4020

PAGE 158.

FE1031

FLASH EVAPORATOR TEST , 1978
PF 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-41=14P 07/19/78 UNIVAC 1108 SC-4020

PAGE 159.

1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



91=21P 07/19/78 UNIVAC 1108 SC-4020

DAYS:HOURS:MIN:SEC

E1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF EAGLE'S PROGRAM



19-41=49F 07/19/78 UNIVAC 1108 SC-4020

PAGE 161.

E1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (23)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-42=14P 07/19/78 UNIVAC 1108 SC-4020

PAGE 162.

PE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-42=43m 07/19/78 UNIVAC 1108 SC-4020

PAGE 163.

E1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-43=19m 07/19/78 UNIVAC 1108 SC-4020

PAGE 164.

031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



19-43=45P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



14-43-58 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-44=34* 07/19/78 UNIVAC 1108 SC-4020

PAGE 168.

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



BTU/HR

14-44-47P 07/19/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



0:00

15=02M 07/19/78 UNIVAC 1108 SC-4020 DAYS:HOURS:MIN:SEC 3.

PAGE 170.

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF ENFLEX PROGRAM



0:00

3.

5=10* 07/19/78 UNIVAC 1108 SC-4020

PAGE 171.

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF ENFLEX PROGRAM



14-45=31P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-45=50F 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-45-58 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PM 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



19-46=24P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-46=41P 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-47=08 07/19/78 UNIVAC 1108 SC-4020

FE1031

FLASH EVAPORATOR TEST , 1978
PP 1-28 (28)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



14-47=33 07/19/78 UNIVAC 1108 SC-4020

PAGE 178.

NO.	SEQ.	ORI	WATER °F	WATER PSIA	FREON 21 °F	FREON 21 LBS/HR	FREON 21 LOOPS	CTRL	FREQ. HZ.	WATER FLOW LB/HR	CARRYOVER % H/L	CARRYOVER % TOPP	CARRYOVER LE H/L
1													
2	HIGH PRESSURE DELETED												
3	136		65	35	90	2900	P/S	-2	1.92 2.1 1.37	51.42 18.73	-.8	+1.5	-.44
	143	H	65	35	90	2900	P/S	-2	1.06	51.37 19.22	-.8	+.6	-.43
4	142	H	65	30	90	2900	P/S	-2	1.21	53.09 19.65	1.	2.5	.56
5	144	H	65	20	90	2900	P/S	-2	1.5	52.02 18.44	-.3	.7	-.2
6	159	H	110	30	90	2900	P/S	-2	1.29	53.89 19.65	1.1	3.1	.64
	161	H	100	30	90	2900	P/S	-2	1.23	52.72 19.28	-.7	-.6	-.4
7	145	H	65	30	110	2900	P/S	-2	1.7	71.88 25.99	-.7	.3	-.57
8	146	H	65	20	110	2900	P/S	-2	2.09	72.64 25.25	-.8	-1.3	-.63
9													
10	HIGH PRESS DELETED												
11	148	H	65	35	128	2900	P/S	-2	1.95	90.96 33.25	-1.2	-1.0	-1.77
12	149	H	65	30	128	2900	P/S	-2	2.15	91.24 32.83	-1.5	-1.3	-1.41
13	147	H	65	20	128	2900	P/S	-2	2.67	92.23 31.73	-.9	-2.3	-.89
14	162	H	100	30	128	2900	P/S	-2	2.20	93.09 33.38	-1.7	-2.5	-1.63
15	152	H	65	30	142	2500	P/S	-2	2.18	92.16 33.16	-1.4	-1.7	-1.35
16	151	H	65	30	133	2750	P/S	-2	2.21	93.37 33.51	-1.	4.1	-.94
	257	H	65	30	133	2750	P/S	-1	2.01	98.5 35.44	3.6	9.2	3.62
	260	H	65	30	133	2750	P/S	-1	1.94	91.7 33.02	-3	3	-2.8
17	150	H	65	30	128	2900	P/S	-2					
18	DELETED												

R	HEAT REJ. BTU/HR.			
TOPP	H/L	TOPP	BOTH	COMMENTS
.03	27123	10508	37655	
.13	48365	18190	66564	
				Stopped at 150°F, ATCS Limitation See Plots
.68	25496	11135	36642	
31	48518	17342	65870	
				Stopped at 150°F, ATCS Limitation See Plots
-.29	83452	28977	112424	Ice In Core - Inlet Wrong at End See Plots
-.85	97219	33874	131070	.16 Hr. Run - Flex computer Problem

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



17-12-23M 07/21/78 UNIVAC 1108 SC-4020

PAGE 166.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



17-12=27M 07/21/78 UNIVAC 1108 SC-4020

PAGE 167.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-12=31M 07/21/78 UNIVAC 1108 SC-4020

PAGE 168.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-12=33M 07/21/78 UNIVAC 1108 SC-4020

PAGE 169.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



17-12=56M 07/21/78 UNIVAC 1108 SC-4020

PAGE 170.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



17-13=01M 07/21/78 UNIVAC 1108 SC-4020

PAGE 171.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13=13M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13=16M 07/21/78 UNIVAC 1108 SC-4020

PAGE 173.

FE1034

FLASH EVAPORATOR TEST . 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13:30M 07/21/78 UNIVAC 1108 SC-4020

PAGE 174.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13=33M 07/21/78 UNIVAC 1108 SC-4020

PAGE 175.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13=45M 07/21/78 UNIVAC 1108 SC-4020

PAGE 176.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-13=48M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=01M 07/21/78 UNIVAC 1108 SC-4020

PAGE 178.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=04M 07/21/78 UNIVAC 1108 SC-4020

PAGE 179.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=13M 07/21/78 UNIVAC 1108 SC-4020

PAGE 180.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=16M 07/21/78 UNIVAC 1108 SC-4020

PAGE 181.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=26M 07/21/78 UNIVAC 1108 SC-4020

PAGE 182.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=29M 07/21/78 UNIVAC 1108 SC-4020

PAGE 183.

FE1034

FLASH EVAPORATOR TEST , 1978
PM Z-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=36M 07/21/78 UNIVAC 1108 SC-4020

PAGE 184.

FE1034

FLASH EVAPORATOR TEST , 1978
PM Z-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=37M 07/21/78 UNIVAC 1108 SC-4020

PAGE 185.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=43M 07/21/78 UNIVAC 1108 SC-4020

PAGE 186.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=46M 07/21/78 UNIVAC 1108 SC-4020

PAGE 187.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



17-14=51M 07/21/78 UNIVAC 1108 SC-4020

PAGE 188.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (136) ACC OUT AT 22.02
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/21/78 UNIVAC 1108 SC-4020

PAGE 189.


FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2
70.0
67.5
65.0
62.5
60.0
57.5
55.0
52.5
152:02:00:00
152:02:03:20
152:02:06:40
152:02:10:00
152:02:13:20
152:02:16:40
152:02:20:00
152:02:23:20
152:02:26:40
152:02:30:00
DAYS:HOURS:MIN:SEC
PAGE 4.
13-19=44M 07/29/73 UNIVAC 1108 SC-4020

FE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



M
Z

13-19=50M 07/28/78 UNIVAC 1108 SC-4020

PAGE 5.

E1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



PAGE 6.

13-20=12M 07/28/78 UNIVAC 1108 SC-4020

FE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-20:24M 07/28/78 UNIVAC 1108 SC-4020

PAGE 1.

FE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-20=40M 07/28/78 UNIVAC 1108 SC-4020

PAGE 8.

FLASH EVAPORATOR TEST , 1978
FM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 9.

13-23=27M 07/23/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-23=39M 07/28/78 UNIVAC 1108 SC-4020

PAGE 10.

PE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-23=46M 07/28/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-23=55M 07/28/78 UNIVAC 1108 SC-4020

PAGE 12.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



11-24:00R 07/23/78 UNIVAC 1108 SC-4020 PAGE 13.

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



13-24=04M 07/28/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1047

FLASH EVAPORATOR TEST , 1978
PM 2-3 (143)
DATA PRODUCED DURING CHECKOUT OF GNFLSX PROGRAM



13-24=08M 07/28/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



03-50=50M 07/22/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



03-50=55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 5.

FE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



03-51=07M 07/22/78 UNIVAC 1108 SC-4020

PAGE 6.

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51=16M 07/22/78 UNIVAC 1108 SC-4020

PAGE 7.

E1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51=2SM 07/22/78 UNIVAC 1108 SC-4020

PAGE 8.

RE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51=34M 07/22/78 UNIVAC 1108 SC-4020

PAGE 9.

FLASH EVAPORATOR TEST . 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51-43M 07/22/78 UNIVAC 1108 SC-4020

PAGE 10.

RE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51=SOM 07/22/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-51=59M 07/22/78 UNIVAC 1108 SC-4020

PAGE 12.

RE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



BTU/HR

03-52=03M 07/22/78 UNIVAC 1108 SC-4020

PAGE 13.

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-52-08M 07/22/78 UNIVAC 1108 SC-4020

FE1044

FLASH EVAPORATOR TEST , 1978
PM 2-4 (142)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-52=12M 07/22/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-18=33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 107.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GYFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-18-43M 07/22/78 UNIVAC 1108 SS-4020

PAGE 108.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-18=434 07/22/73 UNIVAC 1108 SC-4020

PAGE 109

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



M
2

07-18=484 07/22/73 UNIVAC 1108 SC-- 20

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07-19-04M 07:22/78 UNIVAC 1108 SC-4020

PAGE 112.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-19:14:4 07/22/78 14:14:40 1103 SC-110

PAGE 113.

€1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-19=19M 07/22/78 UNIVAC 1108 SC-4030

PAGE 114.

:1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



D
E
G

F

07-19-28M 07/22/75 UNIVAC 1108 SC-4020

PAGE 115.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 116.

07-19[illegible] 07/22/78 UNIVAC 1108 SC 4020

E:036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-19-43M 07/22/78 UNIVAC 1108 SC-4020

PAGE 117.

RE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-19-48M 07/22/78 UNIVAC 1108 SC-4020

PAGE 118.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-19-57PM 07/22/78 UNIVAC 1108 SS-4020

PAGE 119.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20-03M 07/22/72 UNIVAC 1108 SC-4020

PAGE 120.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20=09M 07/22/78 UNIVAC 1108 SC-4020

PAGE 121.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20=13M 07/22/78 UNIVAC 1108 SC-4020

PAGE 122.

FLASH EVAPORATOR TEST , 1978
FM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



07-20=20^M 07/22/78 UNIVAC 1108 SC-4020

PAGE 123.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20:24M 07/22/78 UNIVAC 1106 SC-4020

PAGE 124.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20=27M 07/22/78 UNIVAC 1108 SC-4020

PAGE 125.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20=30M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20-36M 07/22/78 UNIVAC 1108 SC-4020

PAGE 128.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-20=39M 07/22/78 UNIVAC 1108 SC-4020

PAGE 129.

036

FLASH EVAPORATOR TEST , 1978
PH 2-6 (159)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



07-20:42M 07/22/78 UNIVAC 1108 SC-4020

PAGE 130.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-22-27M 07/22/78 UNIVAC 1108 SC-4020

PAGE 148.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) TG1
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-22-3CM 07/22/78 UNIVAC 1108 SC-4020

PAGE 149.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (160) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-22-3PM 07/22/78 UNIVAC 1108 SC-4020

PAGE 150.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 ~~(160)~~ 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-22-35M 07/22/78 UNIVAC 1108 SC-4020

PAGE 151.

€1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~1607~~ 1631)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07-22:43M 07/22/73 UNIVAC 1108 SC-CPO

PAGE 152.

RE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



07-22-5:M 07/22/78 UNIVAC 1108 SC-4020

PAGE 153.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=00M 07/22/78 UNIVAC 1108 SC-4020

PAGE 154.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (1680) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=02M 07/22/78 UNIVAC 1108 SC-4020

PAGE 155.

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 156.

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~1760~~) 1 G 1
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=13M 07/22/78 UNIVAC 1108 SC-4020

PAGE 157.

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) [illegible]
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23-22H [illegible]/22/78 UNIVAC 1108 SC-4020

PAGE 158.

)36

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23:25M 07/22/78 UNIVAC 1108 SC-4020

PAGE 159.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (160) [illegible]
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=3-Y 07/22/78 UNIVAC 1108 SC-4020

PAGE 160.

RE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (160)1 6 \
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

07-23=37A 07/22/78 UNIV[illegible] 1109 SE-4020

PAGE 161.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) 1 G 1
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=434 07/22/78 UNIVAC 1108 SC-4020

PAGE 162.

PE1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~ 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23-45M 07/22/78 UNIVAC 1108 SC-4020

PAGE 163.

036

FLASH EVAPORATOR TEST , 1978
PH 2-6 (~~168~~) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23-52H 07/22/73 UNIVAC 1108 SC-4020

PAGE 164.

FLASH EVAPORATOR TEST . 1978
PM 2-6 (~~160~~) 161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23=544 07/22/78 UNIVAC 1108 SC-4020

PAGE 165.

FLASH EVAPORATOR TEST . 1978
PM Z-6 (169)161
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23-58M 07/22/78 UNIVAC 1108 SC-4020

PAGE 166.

FLASH EVAPORATOR TEST , 1978
PM 2-6 ~~(160)~~ /6/
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-23-59M 07/22/78 UNIVAC 1108 SC-4020

PAGE 167.

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~168~~) / 6 /
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-24-03M 07/22/78 UNIVAC 1108 SC-4020

PAGE 168.

:1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~160~~) /6/
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-24=04H 07/22/78 UNIVAC 1108 SC-4020

PAGE 169.

FLASH EVAPORATOR TEST . 1978
PM 2-6 (~~160~~)/G/
DATA PRODUCED DURING CHECKOUT OF G:FLEX PROGRAM



07-24:07M 07/22/78 UNIVAC 1108 SC-4020

PAGE 170.

1036

FLASH EVAPORATOR TEST , 1978
PM 2-6 (~~168~~)/61
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-24-09M 07/22/78 UNIVAC 1108 SC-4020

PAGE 171.

E1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



01-24=52M 07/25/78 UNIVAC 1108 SC-4020

PAGE 27.

035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-24=57M 07/25/78 UNIVAC 1108 SC-4020

PAGE 28.

.035

FLASH EVAPORATOR TEST . 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



01-25=12M 07/25/78 UNIVAC 1108 SC-4020

PAGE 29.

FLASH EVAPORATOR TEST . 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-25=22M 07/25/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-25=46M 07/25/78 UNIVAC 1108 SC-4020

PAGE 32.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-25=59M 07/25/78 UNIVAC 1108 SC-4020

PAGE 33.

FE1035

FLASH EVAPORATOR TEST . 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 34.

01-26=09M 07/25/78 UNIVAC 1108 SC-4020

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-26=19M 07/25/78 UNIVAC 1108 SC-4020

PAGE 35.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-26=24M 07/25/78 UNIVAC 1108 SC-4020

PAGE 36.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-26=32M 07/25/78 UNIVAC 1108 SC-4020

PAGE 37.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (151)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-26=36M 07/25/78 UNIVAC 1108 SC-4020

PAGE 38.

FE1G38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA RECORDED DURING CHECKOUT OF CAPLEX PROGRAM
1 = FL0013 IN TEMP PRI 1 2 = FL0014 IN TEMP SEC 1
3 = FL0015 IN TEMP PRI 2 4 = FL0016 IN TEMP SEC 2



C
E
G
F

05-48=38F 07/21/78 UNIVAC 1108 SC-4020

PAGE 13.

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF DAFLEX PROGRAM

1 = FA00013 IA TEMP PRI 1
2 = FA00014 IA TEMP SEC 1
3 = FA00015 IA TEMP PRI 2
4 = FA00016 IA TEMP SEC 2



PAGE 14.

05-48=49P 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PARALLEL CLAIM CHECKOUT OF CABLE PROGRAM
1 = FA0013 IN TEMP PRI 1 2 = FA0014 IN TEMP SEC 1
3 = FA0015 IN TEMP PRI 2 4 = FA0016 IN TEMP SEC 2



PAGE 15.

05-49=01P 07/21/78 LAIVAC 1108 SC-4020

FE1G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED USING CHECKOUT OF EARLEX PROGRAM
1 = FLOG13 IN TEMP FFI 1 2 = FLOG14 IN TEMP SEC 1
3 = FLOG15 IN TEMP FFI 2 4 = FLOG16 IN TEMP SEC 2



DEG F

05-49-08P 07/21/78 UNIVAC 1108 SC-4020

881G30

FLASH EVAPORATOR TEST , 1978
FP 2-16 (257.
DATA RECORDED DURING CHECKOUT OF CAPLEX PROGRAM



05-49=12P 07/21/78 LAIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (25).
DATA RECEIVED DURING CHECKOUT OF GAPLEX PROGRAM



05-49=15P 07/21/78 UNIVAC 1108 SC-4020

11030

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA RECORDED DURING CHECKOUT OF ORBLEX PROGRAM



05-49=19P 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF DAPLEX PROGRAM



69-04-21P 07/21/78 LAIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF GAPLEX PROGRAM

1 = FW1005 PRI IA P-1
2 = FW1006 PRI IA P-2
3 = FW1007 SEC IA P-1
4 = FW1008 SEC IA P-2



05-49=31P 07/21/78 GAINAC 1108 SC-4020



PAGE 22.

07/21/78 LAIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF CAPLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



FE1G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF CAPLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



05-50=04P 07/21/78 UNIVAC 1108 SC-4020

PAGE 24.

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF GAFLEX PROGRAM



05-SEP-11P 07/21/78 GAINAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF GAFLEX PROGRAM



05-50=21P 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF CAPLEX PROGRAM



DEG F

05-50=30P 07/21/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1G38

FLASH EVAPORATOR TEST , 1978
RP 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF CAPLEX PROGRAM



05-50=35P 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF DAPLEX PROGRAM



PAGE 29.

07/21/78 LARVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECORDED DURING CHECKOUT OF CAPLEX PROGRAM



05-50=51P 07/21/78 UNIVAC 1108 SC-4020

FE1G38

FLASH EVAPCRATCR TEST , 1978
FF 2-16 (257.
DATA PRECLCEC CURING CHECKCUT CF CAPLEX PRCCRAP



05-51=GCP 07/21/78 LAIVAC 1108 SC-4020

PAGE 31.

FE1G30

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED USING CHECKOUT OF ORBLEX PROGRAM



05-51=05P 07/21/78 LARVAC 1108 SC-4020

PAGE 32.

FLASH EVAPORATOR TEST , 1978
PP 2-16 (25).
DATA PROCESSED DURING CHECKOUT OF ORBITER PROGRAM



05-51=12P 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF CARLEX PROGRAM



05-51=23* 07/21/78 UNIVAC 1108 SC-4020

E1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF DAFLEX PROGRAM



D
E
G

F

CS-51=34P 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF ORBITER PROCESSOR



05-51=40F 07/21/78 LAIVAC 1108 SC-4020

1G38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF GAFLEX PROGRAM



05-51=46P 07/21/78 LARVAC 1108 SC-4020

PE1G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF DAFLEX PROGRAM



05-51=56P 07/21/78 UNIVAC 1108 SC-4020

PAGE 38.

FE1C38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF DARLEX PROGRAM



C
E
G
F

05-52=06P 07/21/78 UNIVAC 1108 SC-4020

PAGE 39.

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF DAFLEX PROGRAM



05-52=11P 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF DAPLEX PROGRAM



PAGE 41.

05-52=16F 07/21/78 LAIVAC 1108 SC-4020

E1038

FLASH EVAPORATOR TEST , 1978
RF 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF ORBLEX PROGRAM



05-52=22F 07/21/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
FR 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF GAFLEX PROGRAM



05-52=2nP 07/21/78 LARVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF ORBITER PROGRAM



PAGE 44.

05-52=32P 07/21/78 UNIVAC 1108 SC-4020

FE1G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PRODUCED DURING CHECKOUT OF ORBITER PREHEAT



05-52=37F 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF ORBITER PROGRAM



05-52=45 07/21/78 LAIVAC 1108 SC-4020

E1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF GAPLEX PROGRAM



05-52=44 07/21/78 LAIPAC 1108 SC-4020

PAGE 47.

1G38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCEDURE DURING CHECKOUT OF CABLES PROGRAM



LB/HR

05-52=54P 07/21/78 UNIVAC 1108 SC-4020

PAGE 48.

FE1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF CABLES PROGRAM



BTU/HR

05-52=56P 07/21/78 UNIVAC 1108 SC-4020

E1G38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA RECEIVED DURING CHECKOUT OF DAFLEX PROGRAM



BTU/HR

05-53=COM 07/21/78 DAIVAC 1108 SC-4020

1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF ORBITER PROGRAM



05-53=03F 07/21/78 UNIVAC 1108 SC-4020

FE1G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF CAPLEX PROGRAM



05-53=06F 07/21/78 LAIVAC 1108 SC-4020

PAGE 52.

FE1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF GAPLEX PROGRAM



BTU/HR

05-53=0W . 07/21/78 UNIVAC 1108 SC-4020

G38

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED DURING CHECKOUT OF GAFLEX PROGRAM



05-53=12P 07/21/78 UNIVAC 1108 SC-4020

PAGE 54.

1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF ORBITER PROPAR



05-53=16F 07/21/78 ORIVAC 1108 SC-4020

1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257)
DATA PROCESSED USING CHECKOUT OF DAPLEX PROGRAM



BTU/HR

PAGE 56.

05-53=18" 07/21/78 UNIVAC 1108 SC-4020

E1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA PROCESSED DURING CHECKOUT OF DAPLEX PROGRAM



05-53=21P 07/21/78 LAIVAC 1108 SC-4020

PE1038

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257.
DATA RECORDED DURING CHECKOUT OF ENABLE PROGRAM



05-53=25P 07/21/78 UNIVAC 1108 SC-4020

FE1G38

FLASH EVAPORATOR TEST , 1978
PP 2-16 (257)
DATA RECEIVED DURING CHECKOUT OF CAPLEX PROGRAM



05-53=28F 07/21/78 UNIVAC 1108 SC-4020

FE1038

FLASH EVAPORATOR TEST , 1978
FF 2-16 (257.
DATA RECEIVED DURING CHECKOUT OF ORBITER RADIATOR



05-53=31P 07/21/78 UNIVAC 1108 .SC-4020

PAGE 60.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



01-22=12M 07/25/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-22=14M 07/25/78 UNIVAC 1108 SC-4020

PAGE 5.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



01-22=23M 07/25/78 UNIVAC 1108 SC-4020

PAGE 6.

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/25/78 UNIVAC 1108 SC-4020

PAGE 7.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-22=37M 07/25/78 UNIVAC 1108 SC-4020

PAGE 8.

FE1035

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-22=43M 07/25/78 UNIVAC 1108 SC-4020

PAGE 9.

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 10.

01-22-50M 07/25/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-22-55M 07/25/78 UNIVAC 1108 SC-4020

PAGE 11.

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-23=01M 07/25/78 UNIVAC 1108 SC-4020

PAGE 12.

FLASH EVAPORATOR TEST , 1978
PM Z-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-23-04M 07/25/78 UNIVAC 1108 SC-4020

PAGE 13.

FLASH EVAPORATOR TEST , 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/25/78 UNIVAC 1108 SC-4020

FE1035

FLASH EVAPORATOR TEST . 1978
PM 2-16 (260)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



01-23=10M 07/25/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM
1 = FH0013 IN TEMP PRI 1 2 = FH0014 IN TEMP SEC 1
3 = FH0015 IN TEMP PRI 2 4 = FH0016 IN TEMP SEC 2



DEG F

DAYS:HOURS:MIN:SEC

17-06=25H 03/21/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GYFLEX PROGRAM



17-03=2SH 03/21/78 UNIVAC 1103 SC-4020

PAGE 5.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF CHFLEX PROGRAM

1 = FH1005 PRI IB P-1 2 = FH1006 PRI IB P-2
3 = FH1007 SEC IB P-1 4 = FH1008 SEC IB P-2



17-05=SRN 03/21/78 UNIVAC 1108 SC-4020

PAGE 6.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



17-06:47M 08/21/78 UNIVAC 1108 SC-4020

FE1053

FLASH EVAPORATOR TEST , 1978
PM 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



17-06=55H 08/21/78 UNIVAC 1108 SC-4020

PAGE 8.

FE1053

FLASH EVAPORATOR TEST , 1978
PR 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



17-07=05M 03/21/78 UNIVAC 1103 SC-4020

PAGE 9.

FE1053

FLASH EVAPORATOR TEST , 1978
PM Z -17 (150)
DATA PRODUCED DURING CHECKOUT OF CNFLEX PROGRAM



17-07=1311 08/21/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1053

FLASH EVAPORATOR TEST , 1973
PM 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF CHFLEX PROGRAM



17-07=1841 08/21/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF CXFLEX PROGRAM



17-07-24R 08/21/78 UNIVAC 1108 SC-4020

PE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



17-07=041 08/21/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1053

FLASH EVAPORATOR TEST , 1978
PM 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF CAFLEX PROGRAM



17-07=41M 03/21/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1053

FLASH EVAPORATOR TEST , 1978
PH 2 -17 (150)
DATA PRODUCED DURING CHECKOUT OF GMFLEX PROGRAM



BTU/HR

17-07=44M 03/21/73 UNIVAC 1108 SC-4020

PAGE 15.

1036

FLASH EVAPORATOR TEST , 1978
PN 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



DAYS:HOURS:MINS:SEC

07-06=36% 07/22/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-06-48M 07/02/79 UNIVAC 11 SC-4021

PAGE 11.

036

FLASH EVAPORATOR TEST , 1978
PN 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



PAGE 12.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-06-57PM 07/22/78 UNIVAC 1108 SS-4020

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-07-01M 07/22/78 [illegible]

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

HE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07-07=15M 07/22/78 UNIVAC 1108 SC-4020

PAGE 16.

FE1036

FLASH EVAPORATOR TEST , 1978
FM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



07-07-27R 07/22/78 UNIVAC 1108 SC-4020

PAGE 17.

136

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07-07-334 07/22/78 [illegible]

PAGE 18.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-07-42M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST . 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-07=51M 07/22/78 UNIVAC 1103 SC-4020

PAGE 20.

1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-07-55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 21.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-06-04 07/22/78 UNIVAC 1108 SE-4020

PAGE 22.

FLASH EVAPORATOR TEST , 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



[illegible]:144 GP/22/TS UNIVAC 1108 SC-4020

PAGE 23.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-03=184 07/22/78 UNIVAC 1108 SC-4020

PAGE 24.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-08:27M 07/22/78 GNFLEX 1038 SC-4020

PAGE 25.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-05-36M 07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

07-08=40M 07/22/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-08:47M 07/22/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM



07-0895-M 07/22 TO 07/24/80 1103 SC-4020

PAGE 29.

FE1036

FLASH EVAPORATOR TEST , 1978
PH 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-08=57M 07/22/78 UNIVAC 1106 SD-4020

PAGE 30.

#1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09-104 07/22/78 UNIVAC 1108 SC-4020

PAGE 32.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09=13M 07/22/73 UNIVAC 1108 SC-4020

PAGE 33.

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09=19M 07/22/78 UNIVAC 1108 SC-4020

PAGE 34.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09=25M 07/22/78 UNIVAC 1108 SC-4020

PAGE 35.

PE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09-25M 07:22:08 UNIVAC 1106 SC-4020

£1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09-33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 37.

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



07-09=37M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09-43M 07/22/78 UNIVAC 1108 SD-4000

FE1036

FLASH EVAPORATOR TEST. , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09=46M 07/22/78 UNIVAC 1108 SC-4020

PAGE 41.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09:43M 07/22/78 UNIVAC 1108 SC-4020

PAGE 42.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09-52H 07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



BTU/HR

07-09-55M 07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST , 1978
FM 2-21 (155)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-09=57M 07/22/78 UNIVAC 1108 SC-4020

PAGE 45.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-35=06M 07/25/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



03-35=26M 07/25/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-35=44M 07/25/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-35=50M 07/25/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-35=57M 07/25/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-36=01M 07/25/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1046

FLASH EVAPORATOR TEST . 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



03-36=21M 07/25/78 UNIVAC 1108 SC-4020

PAGE 16.

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



03-36=37M 07/25/78 UNIVAC 1108 SC-4020

PAGE 17. : 18.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



03-36=54M 07/25/78 UNIVAC 1108 SC-4020

PAGE 18.

FE1046

FLASH EVAPORATOR TEST . 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 19.

03-37=07M 07/25/78 UNIVAC 1108 SC-4020

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
-DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



03-37=21M 07/25/78 UNIVAC 1108 SC-4020

PAGE 20.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-37=33M 07/25/78 UNIVAC 1108 SC-4020

PAGE 21.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-37-46M 07/25/78 UNIVAC 1108 SC-4020

PAGE 22.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-38=01M 07/25/78 UNIVAC 1108 SC-4020

PAGE 23.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-38=13H 07/25/78 UNIVAC 1108 SC-4020

PAGE 24.

FE1046

FLASH EVAPORATOR TEST . 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-38=27M 07/25/78 UNIVAC 1108 SC-4020

PAGE 25.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-38-41M 07/25/78 UNIVAC 1108 SC-4020

PAGE 26.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-38=54M 07/25/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-39-07M 07/25/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-39-21M 07/25/78 UNIVAC 1108 SC-4020

PAGE 29.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-39=34M 07/25/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-39=48M 07/25/78 UNIVAC 1108 SC-4020

PAGE 31.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-39=56M 07/25/78 UNIVAC 1108 SC-4020

PAGE 32.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=04M 07/25/78 UNIVAC 1108 SC-4020

PAGE 33.

FE1046

FLASH EVAPORATOR TEST , 1978
PN 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=19M 07/25/78 UNIVAC 1108 SC-4020

PAGE 34.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=27M 07/25/78 UNIVAC 1108 SC-4020

PAGE 35.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=33M 07/25/78 UNIVAC 1108 SC-4020

PAGE 36.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=39M 07/25/78 UNIVAC 1108 SC-4020

PAGE 37.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=45M 07/25/78 UNIVAC 1108 SC-4020

PAGE 38.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=51M 07/25/78 UNIVAC 1108 SC-4020

PAGE 39.

FE1046

FLASH EVAPORATOR TEST , 1978
PM Z-Z2 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-40=56M 07/25/78 UNIVAC 1108 SC-4020

PAGE 40.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GHFLEX PROGRAM



03-41=01M 07/25/78 UNIVAC 1108 SC-4020

PAGE 41.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-41=07M 07/25/78 UNIVAC 1108 SC-4020

PAGE 42.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-41=12M 07/25/78 UNIVAC 1108 SC-4020

PAGE 43.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNF_EX PROGRAM



03-41=18M 07/25/78 UNIVAC 1108 SC-4020

PAGE 44.

FE1046

FLASH EVAPORATOR TEST , 1978
PM 2-22 (156)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-41=24M 07/25/78 UNIVAC 1108 SC-4020

PAGE 45.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-13-34M 07/22/78 UNIVAC 1108 SC-4020

PAGE 66.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



07-13=48M 07/22/78 UNIVAC 1100 SC-4020

PAGE 67.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-13=52M 07/22/78 UNIVAC 1108 SC-4020

PAGE 65.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-13-5x4 07/22/78 UNIVAC 1108 SP-4020

PAGE 69.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07-14:09M 07/13/78 UNIVAC 1108 SC-4020

PAGE 70.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



07-14:21M 07/22/78 UNIVAC 1108 SC-4020

PAGE 71.

036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-14-31M 07/22/78 UNIVAC 1108 SC-4020

PAGE 72.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-Z4 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-14:40M 07/22/78 UNIVAC 1108 SC-4020

PAGE 73.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-14=494 07/22/78 UNIVAC 1108 SC-4020

PAGE 74.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-14=594 07/22/78 UNIVAC 1108 SC-4020

PAGE 75.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (153)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15-08M 07/22/78 UNIVAC 1108 SD-4020

PAGE 76.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15=18M 07/22/78 UNIVAC 1108 SC-4020

PAGE 77.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15:27M 07/22/78 UNIVAC 1108 SC-4020

PAGE 78.

#1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 79.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15:43M [illegible] 78 UNIVAC 1108 SC-4020

PAGE 80.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15-49M 07/22/78 UNIVAC 1108 SC-4020

PAGE 81.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-15=55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 82.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-16=02M 07-22-72 [illegible] 1108 SC-4020

PAGE 83.

E1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-16-09: 07/22/78 UNIVAC 1108 SC-4020

PAGE 84.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-16-09% 07/22/78 UNIVAC 1108 SC-4020

PAGE 85.

:1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-[illegible] 07/22/78 [illegible] 1103 SC-4020

PAGE 86.

E1036

FLASH EVAPORATOR TEST . 1978
PM Z-24 (158)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM



BTU/HR

PAGE 87.

07-16=17M 07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-16-21M 07/22/78 UNIVAC 1108 SC-4020

PAGE 88.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-24 (158)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 89.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



07-28=SIM 07/22/78 UNIVAC 1108 SC-4020

PAGE 189.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



07-28:42H 07/22/78 UNIVAC 1108 SC-4020

PAGE 190.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-28-464 07/22/78 UNIVAC 1106 SC-4020

PAGE 191.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-28-48M 07/22/78 UNIVAC 1108 SC-4020

PAGE 142.

FLASH EVAPORATOR TEST . 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07/22/78 UNIVAC 1108 SC-4020

PAGE 193.

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



07/22/78 UNIVAC 1108 SC-4020

PAGE 194.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29=144 07/22/78 [illegible] SC-4020

PAGE 195.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29-16M 07/22/78 UNIVAC 1108 SC-4020

PAGE 19b.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF G:FLEX PROGRAM



07-29-27H 07/22/78 UNIVAC 1106 SC-4020

PAGE 197.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29-31M 07/22/78 UNIVAC 1108 SC-4020

PAGE 198.

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 199.

FE1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29-44M 07/22/78 UNIVAC 1108 SC-4020

PAGE 200.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29=534 07/22/78 UNIVAC 1108 SC-4020

PAGE 201.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-29-57M 07/22/78 UNIVAC 1108 SC-4020

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30-08M 07/22/78 UNIVAC 1108 SC-4020

PAGE 204.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30-13M 07/22/78 UNIVAC 1108 SC-4020

PAGE 205.

M 1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 206.

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GAPLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 207.

1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07/22/78 UNIVAC 1108 SC-4020

PAGE 203.

#1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30-25M 07/22/78 UNIVAC 1108 SC-4020

PE1036

FLASH EVAPORATOR TEST , 1978
PM Z-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30=27M 07/22/78 UNIVAC 1108 SC-4020

PAGE 210.

FE1036

FLASH EVAPORATOR TEST . 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30E314 07/22/78 UNIVAC 1108 SC-4020

PAGE 211.

FE1036

FLASH EVAPORATOR TEST , 1978
PM 2-25 (163)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



07-30=35M 07/22/78 UNIVAC 1108 SC-4020

PAGE 212.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-55=01M 07/25/78 UNIVAC 1108 SC-4020

PAGE 4.

PE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



H
Z

03-55-07M 07/25/78 UNIVAC 1108 SC-4020

PAGE 5.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



03-55=31M 07/25/78 UNIVAC 1108 SC-4020

PAGE 6.

E1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-55-43M 07/25/78 UNIVAC 1108 SC-4020

PAGE 7.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-55=58M 07/25/78 UNIVAC 1108 SC-4020

PAGE 8.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=10M 07/25/78 UNIVAC 1108 SC-4020

PAGE 9.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=23M 07/25/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=33M 07/25/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1037

FLASH EVAPORATOR TEST , 1978
PM Z-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56-41M 07/25/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=45M 07/25/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=49M 07/25/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1037

FLASH EVAPORATOR TEST , 1978
PM 2-25 (175)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



03-56=55M 07/25/78 UNIVAC 1108 SC-4020

PAGE 15.

NO.	SEQ.	ORI	WATER PSIA														COMMENTS
1	122	H	65	30	90	2900	P/S	742(A)	.92 .88		-1.0	-	-.42	-	40987	192	41190	
2	121	H	65	20	90	2900	P/S	742(B)	.99 1.09	39.60	-.3	-	-.13	-	41095	184	41279	
3	HIGH PRESS DELETED																	
4	123	H	65	30	108	2900	P/S	742(C)	1.39 1.45	63.88	-1.3	-	-.85	-	67439	141	67583	
5	124	H	65	20	140 108	2900	P/S	742(D)										See Plots
6	126	H	65	30	110	2750	P/S	742(E)	1.38 1.43	63.73	-1.6	-	-1.02	-	67468	90	67540	
7	125	H	110	20	108	2900	P/S	742(F)	1.82 1.95	66.96	-1.6	-	-1.08	-	67941	119	68067	
8																		
9	HIGH PRESS DELETED																	
									TOPPING - EVAPORATOR									
10	29	V	65	35	90	2900	P/S	742	1.05	38.57	-	-.9	-	-.37	-	40587	40587	
11	30	V	65	20	90	2900	P/S	742	1.41	38.81	-	-.9	-	-.37	-	40875	40875	
12	31	V	65	90	108	2900	P/S	742										~~(143 - 22:00 to 22:15)~~ Test point was prematurely terminated ; see plots. ~~(143 - 22:30 to 22:40)~~
13	32	V	65	35	108	2900	P/S	742	1.74	64.42	-	-1.1	-	-.73	-	68205	68205	
14	33	V	65	20	108	2900	P/S	742	2.33	65.03	-	-1.0	-	-.70	-	68808	68808	
15	34	V	65	20	110	2750	P/S	742	2.39	64.04	-	-0.0	-	-.03	753	67202	67957	
16	36	V	110	35	108	2900	P/S	742	1.85	65.68	-	-1.2	-	-.8	-	66903	66903	
17	37	V	65	90	117 100	2900	P/S	742										
18	38	V	65	20	119 100	2900	P/S	742										
	127	H	65	20	110	2900	P/S	742										See Plots
	128	H	65	20	115 110	2900	P/S	742										

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



DEG F

21-39-56M 07/21/78 UNIVAC 1108 SC-4020

PAGE 7.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



21-40=00M 07/21/78 UNIVAC 1108 SC-4020

PAGE 8.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=03M 07/21/76 UNIVAC 1108 SC-4020

PAGE 9.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40-05M 07/21/78 UNIVAC 1108 SC-4020

PAGE 10.

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



21-40=17M 07/21/78 UNIVAC 1108 SC-4020

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



21-40-22M 07/21/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=30M 07/21/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=34M 07/21/78 UNIVAC 1108 SC-4020

PAGE 14.

PE1033

FLASH EVAPORATOR TEST . 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=42M 07/21/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=47M 07/21/78 UNIVAC 1108 SC-4020

PAGE 16.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=55M 07/21/78 UNIVAC 1108 SC-4020

PAGE 17.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-40=59M 07/21/78 UNIVAC 1108 SC-4020

PAGE 18.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=08M 07/21/78 UNIVAC 1108 SC-4020

PAGE 19.

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=13M 07/21/78 UNIVAC 1108 SC-4020

PAGE 20.

PE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=20M 07/21/78 UNIVAC 1108 SC-4020

PAGE 21.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=23M 07/21/78 UNIVAC 1108 SC-4020

PAGE 22.

PE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=29M 07/21/78 UNIVAC 1108 SC-4020

PAGE 23.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=33M 07/21/78 UNIVAC 1108 SC-4020

PAGE 24.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GMFLEX PROGRAM



21-41=37M 07/21/78 UNIVAC 1108 SC-4020

PAGE 25.

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=39M 07/21/78 UNIVAC 1108 SC-4020

PAGE 26.

RE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



21-41-42M 07/21/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=45M 07/21/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=49M 07/21/78 UNIVAC 1108 SC-4020

PAGE 29.

FE1033

FLASH EVAPORATOR TEST , 1978
PM 3-5 (124)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



21-41=51M 07/21/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



05-56=01M 07/22/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56-03M 07/22/78 UNIVAC 1108 SC-4020

PAGE 5.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=12M 07/22/78 UNIVAC 1108 SC-4020

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56-16M 07/22/78 UNIVAC 1108 SC-4020

PAGE 7.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

05-56=21M 07/22/73 UNIVAC 1108 SC-4020

PAGE 8.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=28M 07/22/78 UNIVAC 1108 SC-4020

PAGE 9.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=36M 07/22/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=/0H 07/22/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=42M 07/22/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56=45M 07/22/78 UNIVAC 1108 SC-4020

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-56-46M 07/22/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



05-57=3CM 07/22/78 UNIVAC 1108 SC-4020

PAGE 27.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57=33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



05-57=37M 07/22/78 UNIVAC 1108 SC-4020

PAGE 29.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57-41M 07/22/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57=45M 07/22/78 UNIVAC 1108 SC-4020

PAGE 31.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57=49M 07/22/78 UNIVAC 1108 SC-4020

PAGE 32.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57=52M 07/22/78 UNIVAC 1108 SC-4020

PAGE 33.

FE1032

-FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57=56M 07/22/78 UNIVAC 1108 SC-4020

PAGE 34.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-57-58M 07/22/78 UNIVAC 1108 SC-4020

PAGE 35.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-58=00M 07/22/78 UNIVAC 1108 SC-4020

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM.



05-58=02M 07/22/78 UNIVAC 1108 SC-4020

PAGE 37.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-12 (31A)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



05-58-04M 07/22/78 UNIVAC 1108 SC-4020

PAGE 38.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



DEG F

PAGE 65.

06-05=28M 07/22/78 UNIVAC 1108 SC-4020

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



06-05=40M 07/22/78 UNIVAC 1108 SC-4020

PAGE 66.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-05-53M 07/22/78 UNIVAC 1108 SC-4020

PAGE 67.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



06-06=06M 07/22/78 UNIVAC 1108 SC-4020

PAGE 68.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



D
E
G
F

06-06=15M 07/22/78 UNIVAC 1108 SC-4020

PAGE 69.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-06=21M 07/22/78 UNIVAC 1108 SC-4020

PAGE 70.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



H
Z

06-06=25M 07/22/78 UNIVAC 1108 SC-4020

PAGE 71.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-06-28M 07/22/78 UNIVAC 1108 SC-4020

PAGE 72.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-06=32M 07/22/78 UNIVAC 1108 SC-4020

PAGE 73.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



H
Z

06-06=36M 07/22/78 UNIVAC 1108 SC-4020

PAGE 74.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 75.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-06=40M 07/22/78 UNIVAC 1108 SC-4020

PAGE 76.

FF1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



06-06=55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 77.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



06-07=11M 07/22/78 UNIVAC 1108 SC-4020

PAGE 78.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GYFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



06-07=28M 07/22/78 UNIVAC 1108 SC-4020

PAGE 79.

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07/22/78 UNIVAC 1108 SC-4020

PAGE 80.

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



07/22/78 UNIVAC 1108 SC-4020

PAGE 81.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



06-08=01M 07/22/78 UNIVAC 1108 SC-4020

PAGE 82.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08=10M 07/22/78 UNIVAC 1108 SC-4020

PAGE 83.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08=20M 07/22/78 UNIVAC 1108 SC-4020

PAGE 84.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08=30M 07/22/78 UNIVAC 1108 SC-4020

PAGE 85.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08=39M 07/22/78 UNIVAC 1108 SC-4020

PAGE 86.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08-46M 07/22/78 UNIVAC 1108 SC-4020

PAGE 87.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-08=51M 07/22/78 UNIVAC 1108 SC-4020

PAGE 88.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09-00M 07/22/78 UNIVAC 1108 SC-4020

PAGE 89.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09=09M 07/22/78 UNIVAC 1108 SC-4020

PAGE 90.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF CAFLEX PROGRAM



06-09-18M 07/22/78 UNIVAC 1108 SC-4020

PAGE 91.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09=28M 07/22/78 UNIVAC 1108 SC-4020

PAGE 92.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09=35M 07/22/78 UNIVAC 1108 SC-4020

PAGE 93.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09=39M 07/22/78 UNIVAC 1108 SC-4020

PAGE 94.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09-48M 07/22/78 UNIVAC 1108 SC-4020

PAGE 95.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-09=58M 07/22/78 UNIVAC 1108 SC-4020

PAGE 96.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10=07M 07/22/78 UNIVAC 1108 SC-4020

PAGE 97.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10-17M 07/22/78 UNIVAC 1108 SC-4020

PAGE 98.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10=24M 07/22/78 UNIVAC 1108 SC-4020

PAGE 99.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10=28M 07/22/78 UNIVAC 1108 SC-4020

PAGE 100.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10-37M 07/22/78 UNIVAC 1108 SC-4020

PAGE 101.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10=46M 07/22/78 UNIVAC 1108 SC-4020

PAGE 102.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-10=57M 07/22/78 UNIVAC 1108 SC-4020

PAGE 103.

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=13M 07/22/78 UNIVAC 1108 SC-4020

PAGE 105.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=17M 07/22/78 UNIVAC 1108 SC-4020

PAGE 106.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=24M 07/22/78 UNIVAC 1108 SC-4020

PAGE 107.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=30M 07/22/78 UNIVAC 1108 SC-4020

PAGE 103.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=37H 07/22/78 UNIVAC 1108 SC-4020

PAGE 109.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11-43M 07/22/78 UNIVAC 1108 SC-4020

PAGE 110.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=484 07/22/78 UNIVAC 1108 SC-4020

PAGE 111.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=52M 07/22/78 UNIVAC 1108 SC-4020

PAGE 112.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-11=58M 07/22/78 UNIVAC 1108 SC-4020

PAGE 113.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=05M 07/22/78 UNIVAC 1108 SC-4020

PAGE 114.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=11M 07/22/78 UNIVAC 1108 SC-4020

PAGE 115.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=18M 07/22/78 UNIVAC 1108 SC-4020

PAGE 116.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12-22M 07/22/78 UNIVAC 1108 SC-4020

PAGE 117.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12-26M 07/22/78 UNIVAC 1108 SC-4020

PAGE 118.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=30M 07/22/78 UNIVAC 1108 SC-4020

PAGE 119.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12-33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 120.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=37M 07/22/78 UNIVAC 1108 SC-4020

PAGE 121.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=41M 07/22/78 UNIVAC 1108 SC-4020

PAGE 122.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=44M 07/22/78 UNIVAC 1108 SC-4020

PAGE 123.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM.



06-12=46M 07/22/78 UNIVAC 1108 SC-4020

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=49M 07/22/78 UNIVAC 1108 SC-4020

PAGE 125.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12-53M 07/22/78 UNIVAC 1108 SC-4020

PAGE 126.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-12=57M 07/22/78 UNIVAC 1108 SC-4020

PAGE 127.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=01M 07/22/78 UNIVAC 1108 SC-4020

PAGE 128.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=04M 07/22/78 UNIVAC 1108 SC-4020

PAGE 129.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=064 07/22/78 UNIVAC 1108 SC-4020

PAGE 130.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13-1CM 07/22/78 UNIVAC 1108 SC-4020

PAGE 131.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=13M 07/22/78 UNIVAC 1108 SC-4020

PAGE 132.

FE1032 -

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=17M 07/22/78 UNIVAC 1108 SC-4020

PAGE 133.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13=21M 07/22/78 UNIVAC 1108 SC-4020

PAGE 134.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13-24M 07/22/78 UNIVAC 1108 SC-4020

PAGE 135.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-17 (37)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-13-26M 07/22/78 UNIVAC 1108 SC-4020

PAGE 136.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



D
E
G

F

C6-33=C8M 07/22/78 UNIVAC 1108 SC-4020

PAGE 166.

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



06-33-15M 07/22/78 UNIVAC 1108 SC-4020

PAGE 167.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



H
Z

06-33=19M 07/22/73 UNIVAC 1108 SC-4020

PAGE 168.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-33-21M 07/22/78 UNIVAC 1108 SC-4020

PAGE 169.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-33-34M 07/22/78 UNIVAC 1108 SC-4020

PAGE 170.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-33=40M 07/22/78 UNIVAC 1108 SC-4020

PAGE 171.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-33-50M 07/22/78 UNIVAC 1103 SC-4020

PAGE 172.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (35)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-33-55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 173.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=04M 07/22/78 UNIVAC 1108 SC-4020

PAGE 174.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=09M 07/22/78 UNIVAC 1108 SC-4020

PAGE 175.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=18M 07/22/78 UNIVAC 1108 SC-4020

PAGE 176.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF CYFLEX PROGRAM



PAGE 179.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34-24M 07/22/78 UNIVAC 1108 SC-4020

PAGE 177.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 178.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=37M 07:22/73 GNLAC 1?:A SC-4020

PAGE 179.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34-45M 07/22/78 UNIVAC 1108 SC-4020

PAGE 180.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34-48M 07/22/78 UNIVAC 1108 SC-4020

PAGE 181.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-34=55M 07/22/78 UNIVAC 1108 SC-4020

PAGE 182.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=02M 07/22/78 UNIVAC 1108 SC-4020

PAGE 184.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=04M 07/22/78 UNIVAC 1108 SC-4020

PAGE 185.

FE 1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=07M 07/22/78 UNIVAC 1108 SC-4020

PAGE 186.

FE1032

FLASH EVAPORATOR TEST . 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=104 07/22/78 UNIVAC 1108 SC-4020

PAGE 187.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=14M 07/22/78 UNIVAC 1108 SC-4020

PAGE 188.

FE1032

FLASH EVAPORATOR TEST , 1978
PM 3-18 (38)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



06-35=16M 07/22/78 UNIVAC 1108 SC-4020

PAGE 189.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



16-32=48M 07/21/78 UNIVAC 1108 SC-4020

PAGE 7.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



16-32=55M 07/21/78 UNIVAC 1108 SC-4020

PAGE 8.

PE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-32=59M 07/21/78 UNIVAC 1108 SC-4020

PAGE 9.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-33=01M 07/21/78 UNIVAC 1108 SC-4020

PAGE 10.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-33=16M 07/21/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



16-33=27M 07/21/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-33=39M 07/21/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-33=46M 07/21/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-33=57M 07/21/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=04M 07/21/78 UNIVAC 1108 SC-4020

PAGE 16.

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=14M 07/21/78 UNIVAC 1108 SC-4020

PAGE 17.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM.



16-34=20M 07/21/78 UNIVAC 1108 SC-4020

PAGE 18.

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34-30M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=36M 07/21/78 UNIVAC 1108 SC-4020

PAGE 20.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF CHFLEX PROGRAM



16-34=43M 07/21/78 UNIVAC 1108 SC-4020

PAGE 21.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=47M 07/21/78 UNIVAC 1108 SC-4020

PAGE 22.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=54M 07/21/78 UNIVAC 1108 SC-4020

PAGE 23.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-34=58M 07/21/78 UNIVAC 1108 SC-4020

PAGE 24.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-35=03M 07/21/78 UNIVAC 1108 SC-4020

PAGE 25.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLSX PROGRAM



16-35=06M 07/21/78 UNIVAC 1108 SC-4020

PAGE 26.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



16-35=11M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-35=14M 07/21/78 UNIVAC 1108 SC-4020

PAGE 28.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GKFLEX PROGRAM



16-35=18M 07/21/78 UNIVAC 1108 SC-4020

PAGE 29.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (127)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-35=21M 07/21/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GXFLEX PROGRAM



16-38=08M 07/21/78 UNIVAC 1108 SC-4020

PAGE 48.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



16-38=20M 07/21/78 UNIVAC 1108 SC-4020

PAGE 49.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38-26M 07/21/78 UNIVAC 1108 SC-4020

PAGE 50.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38=30M 07/21/78 UNIVAC 1108 SC-4020

PAGE 51.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW1005 PRI IN P-1
2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1
4 = FW1008 SEC IN P-2



16-38=46M 07/21/78 UNIVAC 1108 SC-4020

PAGE 52.



PAGE 53.

16-38=59M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39=12M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39-21M 07/21/78 UNIVAC 1108 SC-4020

PAGE 55.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39-32M 07/21/78 UNIVAC 1108 SC-4020

PAGE 56.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39-42M 07/21/78 UNIVAC 1108 SC-4020

PAGE 57.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39=52M 07/21/78 UNIVAC 1108 SC-4020

PAGE 58.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-40=34M 07/21/78 UNIVAC 1108 SC-4020

PAGE 59.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-40-49M 07/21/78 UNIVAC 1108 SC-4020

PAGE 60.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 61.

16-41=09M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-41=56M 07/21/78 UNIVAC 1108 SC-4020

PAGE 62.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=05M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42-21M 07/21/78 UNIVAC 1108 SC-4020

PAGE 64.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=28M 07/21/78 UNIVAC 1108 SC-4020

PAGE 65.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=32M 07/21/78 UNIVAC 1108 SC-4020

PAGE 66.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=36M 07/21/78 UNIVAC 1108 SC-4020

PAGE 67.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=43M 07/21/78 UNIVAC 1108 SC-4020

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=48M 07/21/78 UNIVAC 1108 SC-4020

PAGE 69.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=54M 07/21/78 UNIVAC 1108 SC-4020

PAGE 70.

FE1034

FLASH EVAPORATOR TEST , 1978
PM 3-18 (128).
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-42=58M 07/21/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PN 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



DEG F

DAYS:HOURS:MIN:SEC

16-36=009 09/13/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (2)
DATA PROCESSED DURING CHECKOUT OF GNFLEX PROGRAM



H
2

16-36=039 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



16-36=12M 09/13/78 UNIVAC 1108 SC-4020

PAGE 6.

RE1062

FLASH EVAPORATOR TEST . 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-36=19M 09/13/78 UNIVAC 1108 SC-4020

PAGE 7.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



16-36-26M 09/13/78 UNIVAC 1108 SC-4020

PAGE 8.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM



16-36=34M 09/13/78 UNIVAC 1108 SC-4020

E1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GYSFLEX PROGRAM



DEG F

16-36=44M 09/13/78 UNIVAC 1108 SC-4020

PAGE 10.

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM



16-36=49M 09/13/78 UNIVAC 1108 SC-4020

1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GUFLEX PROGRAM



16-36=57M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GVFLEX PROGRAM



16-37=00M 09/13/78 UNIVAC 1108 SC-4020

PAGE 13.

FLASH EVAPORATOR TEST . 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



09/13/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 1 (210)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



16:37:07M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



16-38=134 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38=16M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



16-38-24M 09/13/78 UNIVAC 1108 SC-4020

PAGE 29.

PE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38=33M 09/13/78 UNIVAC 1108 SC-4020

PAGE 30.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38=40M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-38=469 09/13/78 UNIVAC 1108 SC-4020

PAGE 32.

E1062

FLASH EVAPORATOR TEST . 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GAFLEX PROGRAM



16-38=539 09/13/78 UNIVAC 1108 SC-4020

PAGE 33.

E1062

FLASH EVAPORATOR TEST , 1978
FM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GYFLEX PROGRAM



16-39=00M 09/13/78 UNIVAC 1108 SC-4020

PAGE 34.

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39-06M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39-09M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF G-FLEX PROGRAM



16-39-10M 09/13/78 UNIVAC 1108 SC-4020

FE1062

FLASH EVAPORATOR TEST , 1978
PM 4 - 2 (211)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



16-39=17M 09/13/78 UNIVAC 1108 SC-4020

PAGE 38.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1 2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2 4 = FW0016 IN TEMP SEC 2



02-34-46M 07/22/78 UNIVAC 1108 SC-4020

PAGE 4.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



H
Z

DAYS:HOURS:MIN:SEC

02-34=SOM 07/22/78 UNIVAC 1108 SC-4020

PAGE 5.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GMFLEX PROGRAM
1 = FW1005 PRI IN P-1 2 = FW1006 PRI IN P-2
3 = FW1007 SEC IN P-1 4 = FW1008 SEC IN P-2



02-34=58M 07/22/78 UNIVAC 1108 SC-4020

PAGE 6.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=05M 07/22/78 UNIVAC 1108 SC-4020

PAGE 7.

E1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=12M 07/22/78 UNIVAC 1108 SC-4020

PAGE 8.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PAGE 10.

02-35-24M 07/22/78 UNIVAC 1108 SC-4020

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



PSIA

02-35=27M 07/22/78 UNIVAC 1108 SC-4020

PAGE 11.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=30M 07/22/78 UNIVAC 1108 SC-4020

PAGE 12.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=33M 07/22/78 UNIVAC 1108 SC-4020

PAGE 13.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=36M 07/22/78 UNIVAC 1108 SC-4020

PAGE 14.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-3 (212)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-35=39M 07/22/78 UNIVAC 1108 SC-4020

PAGE 15.

FE1040

FLASH EVAPORATOR TEST , 1978
PM 4-4 (213)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM

1 = FW0013 IN TEMP PRI 1
2 = FW0014 IN TEMP SEC 1
3 = FW0015 IN TEMP PRI 2
4 = FW0016 IN TEMP SEC 2



02-37-32M 07/22/78 UNIVAC 1108 SC-4020

PAGE 27.

FLASH EVAPORATOR TEST , 1978
PM 4-4 (213)
DATA PRODUCED DURING CHECKOUT OF GNFLEX PROGRAM



02-37=39M 07/22/78 UNIVAC 1108 SC-4020

PAGE 28.